



Philips Consumer Lifestyle

Version: A

Service Manual

PRODUCT INFORMATION

- This product meets requirements regarding interference suppression on radio and TV.
- After the product has been repaired, it should function properly and has to meet the safety requirements as officially laid down at this moment.

Specifications

Airfryer XL with Rapid Air technology
Low fat fryer Multicooker

Design and finishing

- Color(s): Star White
- Materials: Plastic

Accessories included

- Double layer accessory

• General specifications

- Automatic shut-off
- Cord storage
- Non-slip feet
- Ready signal
- Patented Rapid Air Technology
- Digital Touch-Screen Interface: 60-minute timer, Integrated Power-on light, On/Off switch, Time and temperature control

Weight and dimensions

- Product dimensions (W x H x D) : 287 x 315x 384mm
- Weight appliance : 7.0 kg

TECHNICAL INFORMATION

- Frequency : 50/60 Hz
- Power Global : 1425 W
- Power China : 1300 W
- Voltage Global : 220-230 V
- Cord length : 0.8 m
- Materials : Outer skin : Plastic (PP)
- : Pan : Aluminized steel
- : Basket : Aluminized steel
- : Basket mesh : Stainless steel
- : Coating : PTFE coating



- Capacity : 0,8 kg
(till max indicator)
- Coloursetting : black
- Temperature : 80 till 200 °C
- Fuse cut-o temp. Motor : 145 °C
TCO : 190 °C

| | Voltage | Frequency |
|---|------------|-----------|
| WEU, EEU, SEU, Nordic, TR | 220 - 240V | 50 Hz |
| UK, DB, SGP, HK, MY, IN, TH, AU, NZ, ZA | 220 - 240V | 50 Hz |
| AR | 220V | 50 Hz |
| CN | 220V | 50 Hz |
| TW | 110V | 60 Hz |
| SA, KR | 220V | 60 Hz |

Electrical circuit




When the appliance does not work, check the electrical circuit.

Open de lid panel always on the underside. Always replaces this panel in case of damaged, scratches body or broken click connection.



| | Service code | Description |
|----|----------------|---|
| 1 | 4203 036 04631 | Top cover |
| | 4203 036 05721 | Top cover |
| 2 | 4203 036 03991 | Housing top |
| | 4203 036 05731 | Housing top |
| 3 | 4203 036 04001 | LCD Unit complete |
| | 4203 036 04011 | LCD Unit complete (US) |
| | 4203 036 05741 | LCD Unit complete (CSA) |
| | 4203 036 05751 | LCD Unit complete (China) |
| 4 | 4203 036 04031 | UI front printed |
| | 4203 036 05761 | UI front printed (US) |
| | 4203 036 05771 | UI front printed (China) |
| 5 | 4203 036 04021 | UI diffuser |
| | 4203 036 05781 | UI diffuser (US) |
| 6 | 4203 036 04041 | UI PCB assy |
| | 4203 036 04051 | UI PCB assy (US) |
| 7 | 4203 036 04061 | UI light seperator |
| | 4203 036 05791 | UI light seperator (US) |
| | 4203 036 05801 | UI light seperator (China) |
| 8 | 4203 036 04071 | UI back |
| | 4203 036 05811 | UI back (US) |
| 9 | 4203 036 04081 | Basket assy |
| | 4203 036 05821 | Basket assy (US) |
| | 4203 036 05831 | Basket assy (China) |
| 10 | 4203 036 04841 | Pan assy |
| | 4222 459 55921 | Pan assy (US) |
| 11 | 4203 036 04101 | Grill (Double Layer Tray) |
| 12 | 4203 036 04111 | Housing |
| | 4203 036 05841 | Housing (US) |
| 13 | 4203 036 04121 | Bottom (incl. Studs) (Heater cover) |
| 15 | 4203 036 04131 | Heat shield (Upper Heatshield) |
| 16 | 4203 036 05331 | Fan I (Large Motor fan) |
| | 4203 036 05341 | Fan I (Small Motor fan) |
| 17 | 4203 036 04151 | Fan II (Motor Cool fan) |
| 18 | 4203 036 04161 | Cooling air cover (Heatshield Silent welded air scroop) |
| 19 | 4203 036 04171 | Spring (heater wire support) |
| | 4203 036 05851 | Spring (heater wire support) (US-Upper wire) |
| | 4203 036 05861 | Spring (heater wire support) (US-Lower wire) |
| 20 | 4203 036 04181 | Pan sealing (Plastic Guidance Bracket) |
| 21 | 4203 036 04191 | Heater assy + reflector 230V/2000W |
| | 4203 036 04201 | Heater assy + reflector 220V/2000W |
| | 4203 036 05281 | Heater assy + reflector 127V/1900W |
| | 4203 036 04221 | Heater assy + reflector 120V/1700W |
| | 4203 036 04231 | Heater assy + reflector 110V/1550W |
| | 4203 036 04241 | Heater assy + reflector 100V/1400W |
| 22 | 4203 036 04251 | Alu Cover (Metal Shield) |
| 23 | 4203 036 04261 | Power cord distancer |
| | 4203 036 05871 | Power cord distancer (For Taiwan, BZ LV) |
| 24 | 4203 036 04271 | Distancer Cover |
| 25 | 4203 036 04281 | Motor 230V/50 Hz |
| | 4203 036 04291 | Motor 220V/60 Hz |
| | 4203 036 04301 | Motor 127/60Hz |
| | 4203 036 04311 | Motor 110V/60Hz |
| | 4203 036 04321 | Motor 220V/50 Hz (CN) |
| | 4203 036 04331 | Motor 120V/60Hz |
| | 4203 036 04341 | Motor 100V/50/60Hz |
| 26 | 4203 036 04351 | Exhaust black (Filter Cover) |
| 27 | 4203 036 04361 | Knob (Handle cover extension) |
| 28 | 4203 036 04371 | Pinn + spring |
| 29 | 4203 036 04381 | rubber buffer (Motor mounting rubber) |
| 30 | 4203 036 04391 | Power cord EU |
| | 4203 036 04401 | Powercord UK/DB |
| | 4203 036 04411 | Powercord CN |
| | 4203 036 04421 | Powercord AU |
| | 4203 036 04431 | Powercord TW |
| | 4203 036 04441 | Powercord ID, SA (India, South Africa) |
| | 4203 036 04451 | Powercord AR |
| | 4203 036 04461 | Powercord CH |
| | 4203 036 04481 | Powercord SG (export) |
| | 4203 036 04491 | Powercord KR |
| | 4203 036 04501 | Powercord BR (HV) |
| | 4203 036 04511 | Powercord SG/MY/HK |
| | 4203 036 04521 | Powercord TH |
| | 4203 036 04531 | Powercord US |
| | 4203 036 04541 | Powercord JP |
| | 4203 036 04551 | Powercord BR (LV) |

LCD unit



EXPLODED VIEW

HD9230/20-28

15



20



16



21



22



17



23



24



18




25



26




19



27



29



28



30

